SpeedClean®

Innovative Maintenance Tools.

Mini-Split Bib® Kit

The fastest way to clean ductless mini-split coils, blower wheels and more.

MODELS

MSB-KIT
MSB-KIT-XL
MSB-360-KIT

SPEEDCLEAN®

OPERATING & MAINTENANCE INSTRUCTIONS

U.S. Patents: 6,863,116, 9,259,769 & Patent Pending

Thank you for purchasing this SpeedClean Mini-Split Bib® Kit, Mini-Split Bib® XL, Mini-Split 360° Bib® Kit. We appreciate your business and look forward to serving you in the future. As with all SpeedClean products, you can be assured that the finest quality components and workmanship have gone into this unit.

Please take a few minutes to read the following Operating and Maintenance Instructions. Please pay particular attention to the safety instructions and exercise caution when using this product.

Mini-Split Bib Kits Table of Contents

Mini-Split Bib Kit Setup Instructions 2
Mini-Split Bib 360° Kit Setup Instructions 3
Mini-Split Bib Kit Maintenance and Storage 4
Mini-Split Bib 360° Kit Maintenance and Storage 5
Limited Warranty 6

Mini-Split Bib Kits Setup Instructions

Slide bracket between wall and corner on each side of unit.

Hook the support rib into each bracket.

Slide deflector plate between wall and bottom of unit. Tuck plastic bib behind deflector plate.

Cover exposed components wth included adhesive wrap.

Tighten bib kit by pulling on adjustable cord. Place end of bib hose in 5 gallon bucket and start cleaning!

CAUTION

1. Disconnect power from unit.
2. Make sure the assembly is secure and the adjustable cord is tight. There should be no slack in the adjustable cord.
3. While cleaning keep an eye on the water level in the 5 gallon bucket so that it does not get too high and overflow.
4. Make sure the water is draining into the 5 gallon bucket properly; any kinks in the bib hose should be addressed.
5. Dry and store Mini-Split Bib in bucket.
6. Use drop cloth under the cleaning area.

Prior to cleaning mini-split systems, please read all manufacturer's directions for maintenance and apply any cleaners per their specifically supplied directions.

For best results, use with these products:

The CoilJet® Coil Cleaner and CoilJet 0° flexible wand are ideal for use with the Mini-Split Bib Kit. Wand is available in 12" (8945-0-DEG-FW12) and 24" (8945-0-DEG-FLEX).

Setup Instructions

Orient bib correctly with hooded section on top, drain tube on the bottom and sticker facing the user.

Hook the top and bottom support ribs into each bracket

Slide deflector plate between wall and bottom of unit. Tuck plastic bib behind deflector plate.

Cover exposed components wth included adhesive wrap.



Tighten bib kit by pulling on both adjustable side cords. Place end of bib hose in 5 gallon bucket and start cleaning!

CAUTION

1. Disconnect power from unit.
2. Make sure the assembly is secure and the adjustable cord is tight. There should be no slack in the adjustable cord.
3. While cleaning keep an eye on the water level in the 5 gallon bucket so that it does not get too high and overflow.
4. Make sure the water is draining into the 5 gallon bucket properly; any kinks in the bib hose should be addressed.
5. Dry and store Mini-Split Bib in bucket.
6. Use drop cloth under the cleaning area.

Prior to cleaning mini-split systems, please read all manufacturer's directions for maintenance and apply any cleaners per their specifically supplied directions.

© 2020 All Rights Reserved.

MSB-KIT

Parts List

Mini-Split Bib® Kit Includes:

1. Bracket (Part# MSB-03)
2. Plastic "Bib" (Part# MSB-01)
3. Adjustable Cord (Part# MSB-06)
4. Support Rib (Part# MSB-02)
5. Deflector Plates
   a. Short Deflector Plate (Part# MSB-05-01)
   b. Long Deflector Plate (Part# MSB-05-02)
6. Adhesive Wrap (Part# MSB-07-01)
7. 5 Gallon Bucket (Part# BV-5-Bucket-70M)

Application Range: Up to 30-44" wide

MSB-KIT-XL

Mini-Split Bib® Kit XL Includes:

1. Bracket (Part# MSB-03)
2. Plastic "Bib" (Part # BXL-001)
3. Adjustable Cord (Part# MSB-06)
4. Support Rib (Part # BXL-002)
5. Deflector Plates
   a. Short Deflector Plate (Part# MSB-05-01)
   b. Long Deflector Plate (Part# MSB-05-02)
6. Adhesive Wrap (Part# MSB-07-01)
7. 5 Gallon Bucket (Part# BV-5-Bucket-70M)

Application Range: 45" to 60" wide

MSB-KIT-360

Mini-Split Bib® 360° Kit Includes:

1. Bracket (Part# MSB-03)
2. Plastic "Bib" (Part# MSB-14)
3. Adjustable Cord (Part# MSB-06)
4. Support Rib (Part# MSB-12)
5. Deflector Plates
    a. Short Deflector Plate (Part# MSB-05-01)
    b. Long Deflector Plate (Part# MSB-05-02)
6. Adhesive Wrap (Part# MSB-07-01)
7. 5 Gallon Bucket (Part# BV-5-Bucket-70M))

Parts List

Application Range: Up to 30-44" wide

© 2020 All Rights Reserved.

Limited Warranty

SpeedClean warrants that this item is free from defects in material and workmanship. SpeedClean, under this warranty, will repair or replace any parts that prove, upon examination, to be defective. This warranty is valid for 30 days from date of purchase by original purchaser. This warranty excludes unusual wear, abuse, unreasonable use, or damage resulting from an accident.

For warranty information DO NOT contact the place of purchase. To obtain warranty service, a proof of purchase is required. Contact SpeedClean Customer Service at (888) 700-3540.

IMPORTANT INFORMATION

Please take time to register your product with SpeedClean. Registering only takes a few seconds and allows us to serve you better. Get access to product news, specials and fast service & support.

www.speedclean.com/register

SPEEDCLEAN®

DiversiTech Corporation
3039 Premiere Pkwy
Suite 600
Duluth, Ga 30097
www.speedclean.com

SpeedyFoam®

CoilJet®

CoilShot®

SpeedClean is a registered trademark of Crossford International.
SpeedClean reserves the right to improve products; contact the factory for the latest configuration and uses.

P/N: MNL-MSB 0221